

INCOMPLETE MAINTENANCE REPORT

Page 1 of 1

Dep. Travis Blankenship

From: Day, Carol [Carol.Day@dhss.mo.gov]
Sent: Thursday, January 21, 2010 8:54 AM
To: tblankenship@franklinmo.net
Subject: INCOMPLETE MAINTENANCE REPORT

Travis, the maintenance report 950072 dated 01/05/10 that was faxed over did not have the evidence tickets or a copy of your permit. Can you fax those over to me please?

Thank you.

Carol Day
Breath Alcohol Program
Department of Health & Senior Services
2875 James Blvd.
Poplar Bluff, Missouri 63901
email: Carol.Day@dhss.mo.gov
phone: 573 840-9734
fax: 573 840-9139

CONFIDENTIALITY STATEMENT

This electronic communication is from the Missouri Department of Health and Senior Services and is confidential, privileged and intended only for the use of the recipient named above. If you are not the intended recipient or the employee or agent responsible for delivering this information to the intended recipient, unauthorized disclosure, copying, distribution or use of the contents of this transmission is strictly prohibited. If you have received this message in error, please notify the sender immediately at the following email address: Carol.Day@dhss.mo.gov or by calling 573-840-9734. Thank you.

BAC DataMaster
Evidence Ticket

STATE OF TEXAS

FRANKLIN COUNTY SHERIFF'S DEPARTMENT

LABORATORY SECTION - 10000 100000

24/05/19

10100

DEPOSITED CHECK

0.0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

0.0000 0000 0000 0000 0000

Operator Signature

[Handwritten Signature]
7119

Face This Side Down - This Edge In First

BAC DataMaster Evidence Ticket

STATE OF MISSISSIPPI
FRANKLIN COUNTY SHERIFF'S DEPARTMENT

LABORATORY SERVICE NUMBER 000070
01/05/10

TEST OFFICER:
LABORATORY
OFFICER I.D.: 1119
RESULT NUMBER: 000000
EXPIRATION DATE: 03/10/10
RECEIVED DATE: 01/05/10

--- 01/05/10 0000 ---

TEST	RESULT	REMARKS
1. 1.0% TEST	0.000	12:11
2. 2.0% TEST	0.000	12:11
3. 3.0% TEST	0.000	12:11
4. 4.0% TEST	0.000	12:11
5. 5.0% TEST	0.000	12:11
6. 6.0% TEST	0.000	12:11
7. 7.0% TEST	0.000	12:11
8. 8.0% TEST	0.000	12:11
9. 9.0% TEST	0.000	12:11
10. 10.0% TEST	0.000	12:11

RE: 2
0.0% = .1
0.0% = .0000

Operator Signature Scot Miller
Printed on recycled paper with soy-based ink
CMSU 2208-02

Face This Side Down - This Edge In First

BAC DataMaster Evidence Ticket

STATE OF MISSISSIPPI
FRANKLIN COUNTY SHERIFF'S DEPARTMENT

LABORATORY SERVICE NUMBER 070070
01/05/10

TEST TIME: 11:00
SUBJECT NAME:
PFI/TEST
DATE: 01/01/10
STATION: 1119
RECEIVED DATE: 01/05/10

TESTING OFFICER:
LABORATORY
OFFICER I.D.: 1119

RESULT NUMBER: 000000
EXPIRATION DATE: 03/10/10
RECEIVED DATE: 01/05/10

--- 01/05/10 0000 ---

TEST	RESULT	REMARKS
1. 1.0% TEST	0.000	12:16
2. 2.0% TEST	0.000	12:16
3. 3.0% TEST	0.000	12:16
4. 4.0% TEST	0.000	12:16
5. 5.0% TEST	0.000	12:16
6. 6.0% TEST	0.000	12:16
7. 7.0% TEST	0.000	12:16
8. 8.0% TEST	0.000	12:16
9. 9.0% TEST	0.000	12:16
10. 10.0% TEST	0.000	12:16

Operator Signature Scot Miller
Printed on recycled paper with soy-based ink
CMSU 2208-02